

# Well-posedness of Neumann-type elliptic overdetermined problem with integral condition

Charyyar Ashyralyyev<sup>1,2</sup>, Aysel Çay<sup>1,3</sup>

<sup>1,2</sup>*Department of Mathematical Engineering, Gumushane University, Gumushane, Turkey*

<sup>2</sup>*TAU, Ashgabat, Turkmenistan*

*E-mail: <sup>1</sup>charyyar@gumushane.edu.tr, <sup>3</sup>ayselcay01@gmail.com*

**Abstract:** In this work, we consider the following Neumann type elliptic overdetermined problem with integral condition to find a function  $u \in C^2([0, T], H) \cap C([0, T], D(A))$  and an element  $p \in H$  :

$$\begin{cases} -u_{tt}(t) + Au(t) = f(t) + p, & 0 < t < T, \\ u_t(0) = \varphi, \quad u_t(T) = \int_0^T \alpha(\lambda) u_\lambda(\lambda) d\lambda + \psi, \quad u(\lambda_0) = \zeta. \end{cases}$$

where  $A$  is a selfadjoint and positive definite operator in an arbitrary Hilbert space  $H$ , smooth function  $f(t)$ , the elements  $\varphi, \zeta, \psi \in D(A)$  and number  $\lambda_0 \in (0, T)$  are given. Let the given smooth scalar function  $\alpha(t)$  be under condition

$$\int_0^T |\alpha(\lambda)| d\lambda < 1.$$

In the papers [1–5] well-posedness of various overdetermined elliptic type differential and difference problems are studied.

Abstract results on stability, almost coercive stability and coercive stability estimates for the solution of this problem are established. Later, the abstract results are used to establish well-posedness of overdetermined problem multi-dimensional elliptic equation with integral boundary condition.

**Keywords:** inverse problem, well-posedness, stability, coercive stability, over-determination.

**2010 Mathematics Subject Classification:** 35N25, 35J67

## REFERENCES

- [1] A. Ashyralyyev, C. Ashyralyyev, On the problem of determining the parameter of an elliptic equation in a Banach space, *Nonlinear Analysis: Modelling and Control*, vol. 19, no 3, 350–366, 2014.

- [2] C. Ashyralyyev, Stability Estimates for Solution of Neumann Type Overdetermined Elliptic Problem, *Numerical Functional Analysis and Optimization* vol. 38, no 10, 1226–1243, 2017.
- [3] C. Ashyralyyev, Numerical Solution to Bitsadze-Samarskii Type Elliptic Overdetermined Multipoint NBVP, *Boundary Value Problems*, vol. 2017, no 74, 1–22, 2017.
- [4] C. Ashyralyyev, G. Akyuz, Stability estimates for solution of Bitsadze-Samarskii type inverse elliptic problem with Dirichlet conditions, *AIP Conference Proceedings*, vo. 1759 (020129), 2016.
- [5] C. Ashyralyyev, G. Akyuz, M. Dedetürk, Approximate solution for an inverse problem of multidimensional elliptic equation with multipoint nonlocal and Neumann boundary conditions, *Electronic Journal of Differential Equations* 2017 (197) (2017) 1-16.