On the source identification problem for hyperbolic-parabolic equation with nonlocal conditions

Maksat Ashyraliyev¹, Allaberen Ashyralyev^{2,3,4}, Viktor Zvyagin⁵

- ¹ Department of Software Engineering, Bahcesehir University, Turkey maksat.ashyralyyev@enq.bau.edu.tr
- Department of Mathematics, Near East University, Nicosia, TRNC
 ³Peoples Friendship University of Russia, Moscow, Russia
 ⁴Institute of Mathematics and Mathematical Modeling, Almaty, Kazakhstan allaberen.ashyralyev@neu.edu.tr

⁵ Voronezh State University, Voronezh, Russia zvg vsu@mail.ru

Abstract: Various source identification problems for hyperbolic-parabolic equations and their applications have been investigated in [1]-[3]. In the present paper, a source identification problem for hyperbolic-parabolic equation with nonlocal conditions is studied. Stability estimates for the differential equation of the source identification hyperbolic-parabolic problem are established. Furthermore, stability estimates for the difference scheme of the source identification hyperbolic-parabolic problem are presented.

Keywords: Source identification problem, hyperbolic-parabolic equations, difference scheme, stability estimates.

2010 Mathematics Subject Classification: 65N06, 35M10, 35R30.

References

- [1] A. Ashyralyev, M.A. Ashyralyyeva, On source identification problem for a hyperbolic-parabolic equation, Contemporary Analysis and Applied Mathematics, vol. 3, no 1, 88–103, 2015.
- [2] M.A. Ashyralyyeva, A. Ashyralyyev, Stable difference scheme for the solution of the source identification problem for hyperbolic-parabolic equations, AIP Conference Proceedings, vol. 1676, Article Number 020024, 2015.
- [3] M.A. Ashyralyyeva, M. Ashyraliyev, On the numerical solution of identification hyperbolic-parabolic problems with the Neumann boundary condition, Bulletin of the Karaganda University-Mathematics, vol. 91, no 3, 69–74, 2018.